

THE MOST POWERFUL

# BIO-REMEDIAL ODOR CONTROL FOAM

IS NOW AVAILABLE — SO SPRAY AWAY!

Pest technicians are called to fix some pretty nasty problems, and lots of those situations also have significant odors.

Now you can eliminate organic-based odors and organic buildup just as professionally as you kill the pests.

Simply spray Foam Fresh™ directly onto the source of the odor and watch it go to work. The foam encapsulates the odor molecules, then its seven strains of microbes go to work consuming the organic matter.

Use Foam Fresh to break down gunk in commercial kitchens, garbage receptacles, floor drains and sink drains. You can also use Foam Fresh to eliminate odors like urine, vomit and feces.

Foam Fresh and Nisus Corporation are trademarks or registered trademarks of Nisus Corporation. ©2016 Nisus Corporation #FF-FLY-0216



## APPLICATION:

Apply after bird and bat cleanup, spray areas after rodent removal, spray into floor and sink drains, foam in wall voids and other tough-to-reach areas, spray garbage receptacles.

## TARGET PESTS:



BIRD  
DROPPINGS



BAT  
GUANO



RODENT  
ODOR



DRAIN  
BUILD-UP



GARBAGE  
CAN SCUM



CREATING A WORLD  
OF SUSTAINABILITY.



100 NISUS DRIVE • ROCKFORD, TN 37853  
800.264.0870 • WWW.NISUSCORP.COM

FOAM FRESH™



# FOAM FRESH™

**Bio-Remedial Odor Control Foam**  
**Eliminates Organic Odors • Removes Grease Build-Up in Drains**  
*Biodegradable • Salmonella Free • Non-Caustic • Non-Pathogenic*

## **KEEP OUT OF REACH OF CHILDREN.**

**Pressurized container.**  
**May burst if heated.**

### **FIRST AID**

**IF SWALLOWED:** Drink 2 glasses of water or milk and induce vomiting by touching back of throat with finger. Get immediate medical attention. **IF IN EYES:** Immediately remove contact lenses if present, then flush eyes with gently running water for at least 15 minutes. Get immediate medical attention if irritation persists.

Contains water (CAS # 7732-18-5), ethoxy-lated alcohol (CAS # 68015-67-8), nonylphenoxyethoxyethanol (CAS# 68412-54-4), a blend of non-pathogenic microbes and a proprietary fragrance blend.

**V.O.C. CONTENT: 0.6% by weight**

### **DIRECTIONS FOR USE**

Read label before use.

Foam Fresh is designed to be applied as part of an ongoing maintenance program and intended for use in intense odor-causing situations in the following areas but not limited to: bathrooms, floor drains, drain surfaces, wall voids, walls, floors, carpets, urinals, toilets, food preparation areas, refuse containers, garbage can and dumpsters. For initial application, apply 4 to 6 seconds where grease and organic debris is present. Continue as needed. Spray walls and fixtures with a liberal coat to prevent lingering odors. Spray directly onto drain coverings and urinals 3-4 seconds at the end of the day. Apply to organic debris under heavy equipment, into wall voids where organic materials such as dead rodents may cause odor concerns and onto all sides of garbage cans and dumpsters to the point of surface wetness as often as possible to control odors and remove organic matter. For best results in food preparation areas, apply product at end of day for overnight action. If drains are not used regularly, pour 2 to 3 gallons of warm water into drain opening to moisten drain surfaces before treatment. For floors and carpets, spray Foam Fresh liberally on all surfaces

where odors might originate. NOTE: Although Foam Fresh is designed to be non-staining, always test surface for colorfastness in an inconspicuous area before treating entire surface.

NOTE: Do not use on food contact or food preparation surfaces.

### **STORAGE AND DISPOSAL**

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Pressurized container. Do not pierce or burn, even after use. Dispose of waste and empty container in accordance with federal, state and local regulations.

### **WARRANTY DISCLAIMER**

Manufacturer warrants this product conforms to the chemical description on the label. **EXCEPT AS EXPRESSLY STATED HEREIN, MANUFACTURER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.**

The sole and exclusive remedy for losses or damages resulting from this product (whether based on contract, negligence, strict liability or other legal theories) shall be limited to, at Manufacturer's election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used.

Manufacturer shall not be liable for losses or damages resulting from handling or use of this product unless Manufacturer is promptly notified of such loss or damage in writing; and **IN NO CASE SHALL MANUFACTURER BE LIABLE FOR DIRECT, CONSEQUENTIAL OR INCIDENTAL DAMAGES OR LOSSES, INCLUDING WITHOUT LIMIT, HEALTH RELATED DAMAGES OR INJURIES.**

The disclaimer and limits cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Manufacturer or the seller is authorized to vary or alter these provisions.

Distributed by



100 Nisus Drive • Rockford, TN 37853  
(800) 264-0870 • www.nisuscorp.com

## SAFETY DATA SHEET

# FOAM FRESH™

Health Emergencies: INFOTRAC® (800) 535-5053

### 1. PRODUCT AND COMPANY INFORMATION

**Product Identity:** FOAM FRESH™

**Recommended use of the chemical and restrictions on use:** Use as a deodorizer for most organic source odors.

**Manufacturer:** Nisus Corporation  
100 Nisus Drive  
Rockford, TN 37853

**Telephone:** Phone: (800) 264-0870  
Fax: (865) 577-5825

**Emergency Phone:** 800-535-5053 (INFOTRAC)

**SDS Date of Preparation:** 4/1/16

### 2. HAZARDS IDENTIFICATION

**Physical State:** Aerosol

**GHS Classification:** Flammable Aerosol: Category 2

**GHS Label Elements:**



**Signal Word:** Warning

**Statements of Hazard**  
Flammable Aerosol.

**Precautionary Statements - Prevention:**

Keep away from heat/sparks/open flames/hot surfaces. — No smoking  
Do not spray on an open flame or other ignition source  
Pressurized container: Do not pierce or burn, even after use.

**Precautionary Statements - Storage**

Protect from sunlight. Do not expose to temperatures exceeding  
50°C/122°F

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
Propane	74-98-6	1-10
N-Butane	106-97-8	1-10
Isobutane	75-28-5	1-10

The exact formulation is being withheld as a trade secret.

### 4. FIRST AID MEASURES

**General Advice:** If exposed or concerned: Get medical advice/attention.

**Eye Contact:** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

**Skin Contact:** Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.

**Inhalation:** Remove to fresh air.

**Ingestion:** Clean mouth with water and drink afterwards plenty of water.

**Most Important Symptoms and Effects:** May cause discomfort if swallowed.

**Indication of any immediate medical attention/special treatment needed:** Treat symptomatically

### 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media:** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Specific hazards arising from the chemical:** This product is a flammable aerosol.

**Protective Equipment and Precautions for Fire-Fighting:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved r equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions, Protective Equipment, and Emergency Procedures:** Use personal protective equipment as required.

**Methods and Materials for Containment:** Prevent further leakage or spillage if safe to do so.

**Methods and Materials for Clean-Up:** Keep in suitable, closed containers for disposal.

### 7. HANDLING AND STORAGE

**Precautions for Safe Handling:** Handle in accordance with good industrial hygiene and safety practice. Keep away from heat, sparks, open flames and hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

**Conditions for Safe Storage:**

Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.

**Conditions for Incompatible Materials:**

None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines:

Chemical Name	ACGIH TLV	OSHA PEL	NOSH IDLH
Propane CAS: 74-98-6	TWA: 1000 ppm	TWA: 1000ppm TWA: 1800 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m <sup>3</sup>	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup>
N-Butane CAS: 106-97-8	STEL: 1000 ppm	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 800 ppm TWA: 1900 mg/m <sup>3</sup>
Isobutane CAS: 75-28-5	STEL: 1000 ppm	-	TWA: 800 ppm TWA: 19000 mg/m <sup>3</sup>

**Engineering Controls:** Apply technical measures to comply with the occupational exposure limits.

**Eye/Face Protection:** Refer to 29 CFR 1910.133 for eye and face protection regulations.

**Skin and Body Protection:** Refer to 29 CFR 1910.138 for appropriate skin and body protection.

**Respiratory Protection:** Refer to 29 CFR 1910.134 for respiratory protection requirements.

**General Hygiene Considerations:** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:** Aerosol

**Appearance and Color:** Not Determined

**Odor and Odor Threshold:** Not Determined

**pH:** Not Determined

**Vapor Density:** Not Determined

**Melting Point/ Freezing Point:** Not Determined

**Boiling Point/ Boiling Range:** Not Determined

**Flash Point:** Not Determined

**Evaporation Rate:** Not Determined

**Flammability (Solid, Gas):** Not Determined

**Upper Flammability Limits:** Not Determined

**Lower Flammability Limits:** Not Determined

**Vapor Pressure:** Not Determined

**Vapor Density:** Not Determined

**Specific Gravity:** Not Determined

**Water Solubility:** Not Determined

**Solubility in other solvents:** Not Determined

**Partition Coefficient:** Not Determined

**Auto-ignition Temperature:** Not Determined

**Decomposition Temperature:** Not Determined

**Kinematic Viscosity:** Not Determined

**Dynamic Viscosity:** Not Determined

**Explosive Properties:** Not Determined

**Oxidizing Properties:** Not Determined

## 10. STABILITY AND REACTIVITY

**Reactivity:** Not reactive under normal conditions.

**Chemical Stability:** Stable under recommended storage conditions.

**Possibility of Hazardous Reactions:** None known under normal processing.

**Conditions to Avoid:** Keep out of reach of children.

**Incompatible Materials:** None known based on information supplied.

**Hazardous Decomposition Products:** None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure:

**Eye Contact:** Avoid contact with eyes.

**Skin Contact:** Avoid contact with skin.

**Inhalation:** Do not inhale.

**Ingestion:** Do not ingest.

### Component Information:

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Propane CAS: 74-98-6	-	-	= 658 mg/L ( Rat ) 4 h
N-Butane CAS: 106-97-8	-	-	= 658 g/m <sup>3</sup> ( Rat ) 4 h
Isobutane CAS: 75-28-5	-	-	= 658 mg/L ( Rat ) 4 h

**Information on physical, chemical and toxicological symptoms effects:** Please see section 4 of this SDS for symptoms.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Carcinogenicity:** Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC, or NTP.

**Numerical measures of toxicity:** Not determined

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** This product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Persistence and Degradability:** Not determined.

**Bioaccumulation:** Not determined.

**Mobility in Soil:**

Chemical Name	CAS	Partition Coefficient
Propane	74-98-6	2.3
N-Butane	106-97-8	2.89
Isobutane	75-28-5	2.88

**Other Adverse Effects:** Not determined.

## 13. DISPOSAL CONSIDERATION

### Waste Treatment Methods

**Disposal of Wastes:** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging:** Disposal should be in accordance with applicable regional, national and local laws and regulations.

## 14. TRANSPORTATION INFORMATION

**Note:** Please see current shipping paper for most up-to-date shipping information, including exemptions and special circumstances.

**DOT:**

**UN/ID No:** UN1950

**Proper Shipping Name:** Aerosols

**Hazard Class:** 2.1

**IATA:**

**UN/ID No:** UN1950

**Proper Shipping Name:** Aerosols, flammable

**Hazard Class:** 2.1

**IMDG:**

**UN/ID No:** UN1950

**Proper Shipping Name:** Aerosols

**Hazard Class:** 2.1

**15. REGULATORY INFORMATION****International Inventories**

Chemical Name	Propane	N-Butane	Isobutane
<b>TSCA</b>	Present	Present	Present
<b>DSL</b>	X	X	X
<b>NDSL</b>			
<b>EINECS</b>	Present	Present	Present
<b>ELINCS</b>			
<b>ENCS</b>	Present	Present	Present
<b>IECSC</b>	X	X	X
<b>KECL</b>	Present	Present	Present
<b>PICCS</b>	X	X	X
<b>AICS</b>	X	X	X

**Legend**

**TSCA** – United State Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** – Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINS** – European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** – Japan Existing and New Chemical Substances  
**IECSC** – China Inventory of Existing Chemical Substances  
**KECL** – Korean Existing and Evaluated Chemical Substances  
**PICCS** – Philippines Inventory of Chemicals and Chemical Substances  
**AICS** – Australian Inventory of Chemical Substances

**US Federal Regulations**

**CERCLA:** This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

**SARA 313:** Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SRA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**CWA (Clean Water Act):** This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**US State Regulations**

**California Proposition 65:** This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Propane CAS: 74-98-6	X	X	X
N-Butane CAS: 106-97-8	X	X	X
Isobutane CAS: 75-28-5	X	X	X

**16. OTHER INFORMATION****NFRA:**

**Health Hazards:** Not determined    **Flammability:** Not determined  
**Instability:** Not determined    **Special Hazards:** Not determined

**HMIS:**

**Health Hazards:** Not determined    **Flammability:** Not determined  
**Physical Hazards:** Not determined    **Personal Protection:** Not determined

**Issue Date:** 07-Dec-2015

**Revision Date:** 01-April-2016

**Revision Note:** Corrected Hazards Identification, First Aid Measures and Toxicological Information contents

**WARRANTY DISCLAIMER**

The information, data and recommendations contained herein are believed to be accurate but may not be all inclusive and should only be used as a guide. The information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the product for his particular use and on condition that they assume the risk of the use thereof. With respect to this publication and the product related thereto, unless otherwise expressly provided by Manufacturer in writing, **MANUFACTURER MAKES NO EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.**

**Remedy/Liability Limits**

The exclusive remedy for losses or damages resulting from this publication or the related product (including claims based on contract, negligence, strict liability or other legal theories) shall be limited to, at Manufacturer's sole election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used.

Manufacturer shall not be liable for losses or damages resulting from use of this publication or handling or use of this product, **IN NO CASE SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES OR LOSSES, INCLUDING WITHOUT LIMIT, HEALTH RELATED DAMAGES OR INJURIES.**

The terms of this **Warranty Disclaimer** and **Remedy/Liability Limits** cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Manufacturer or the seller is authorized to vary or exceed the terms of this **Warranty Disclaimer** or **Limitation of Remedies** in any manner.



100 Nisus Drive • Rockford, TN 37853 USA • (800) 264-0870

Foam Fresh and Nisus Corporation are trademarks or registered trademarks of Nisus Corporation. ©2016 Nisus Corporation • #FF-SDS-040116

# NOTES



100 Nisus Drive • Rockford, TN 37853 USA  
800-264-0870