



# RAT ICE

## SAFETY DATA SHEET

ACCORDING TO REGULATION: OSHA  
Hazard Communication Standard 29 CFR 1910.1200

DATE OF ISSUE:  
January 2018

PREPARED BY:  
CAR

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier:** RAT ICE

**EPA Registration Number:** 12455-148

**Relevant identified uses of the substance or mixture and uses advised against**

**Relevant identified uses:** Rodenticide - Ready to use

**Uses advised against:** Use only for the purpose described above

#### SUPPLIER:

Bell Laboratories, Inc.

3699 Kinsman Blvd.

Madison, WI 53704, USA

Email: sds@belllabs.com

Phone: 608-241-0202

Medical or Vet Emergency: 877-854-2494 or 952-852-4636

Spill or Transportation Emergency: 800-424-9300 (CHEMTREC)

### SECTION 2. HAZARDS IDENTIFICATION

**Classification according to Regulation OSHA 1910.1200(d):** Not classified

**Signal Word:** Warning

**Hazard Statement:** May displace oxygen and cause rapid suffocation. May increase respiration and heart rate. May cause frostbite.

See Section 15 for information on FIFRA applicable safety, health, and environmental classifications.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No.	% By weight
Carbon Dioxide	124-38-9	100.00%

### SECTION 4. FIRST AID MEASURES

#### Description of first aid measures

**Ingestion:** Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

**Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

**Eye contact:** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

**Skin contact:** Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

#### Most important symptoms and effects, both acute and delayed

Eye contact: May cause eye irritation.

Inhalation: May be harmful if inhaled. May cause respiratory irritation.

Skin contact: Harmful if absorbed through the skin. May cause skin irritation.

Frostbite: Try to warm up the frozen tissues and seek medical attention.

Ingestion: May be harmful if swallowed and enters airways.

**Advice to physician:** Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

**Advice to Veterinarian:** Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

## SECTION 5. FIRE-FIGHTING MEASURES

### **Extinguishing media**

**Suitable extinguishing media:** Use an extinguishing agent suitable for the surrounding fire.

**Unsuitable extinguishing media:** None known.

**Specific hazards arising from the chemical:** No specific fire or explosion hazard.

**Hazardous thermal decomposition products:** Decomposition products may include the following materials: carbon dioxide  
carbon monoxide

**Special protective actions for fire-fighters:** Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective equipment for fire-fighters:** Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### **Personal precautions, protective equipment and emergency procedures**

**For non-emergency personnel:** No action shall be taken involving any personal risk or without suitable training.

Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

**For emergency responders:** If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions:** Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### **Methods and materials for containment and cleaning up**

**Small spill:** Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

**Large spill:** Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## SECTION 7. HANDLING AND STORAGE

### **Precautions for safe handling**

**Protective measures:** Put on appropriate personal protective equipment (see Section 8).

**Advice on general occupational hygiene:** Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

**Conditions for safe storage, including any incompatibilities:** Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Do not store Dry Ice in a completely airtight container. The sublimation of Dry Ice to Carbon Dioxide gas will cause any airtight container to expand or possibly explode.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Established Limits: Carbon Dioxide

#### ACGIH TLV (United States, 3/2015). Oxygen Depletion [Asphyxiant].

STEL: 54000 mg/m<sup>3</sup> 15 minutes.

STEL: 30000 ppm 15 minutes.

TWA: 9000 mg/m<sup>3</sup> 8 hours.

TWA: 5000 ppm 8 hours.

#### NIOSH REL (United States, 10/2013).

STEL: 54000 mg/m<sup>3</sup> 15 minutes.

STEL: 30000 ppm 15 minutes.

TWA: 9000 mg/m<sup>3</sup> 10 hours.

TWA: 5000 ppm 10 hours.

#### OSHA PEL (United States, 2/2013).

TWA: 9000 mg/m<sup>3</sup> 8 hours.

TWA: 5000 ppm 8 hours.

#### OSHA PEL 1989 (United States, 3/1989).

STEL: 54000 mg/m<sup>3</sup> 15 minutes.

STEL: 30000 ppm 15 minutes.

TWA: 18000 mg/m<sup>3</sup> 8 hours.

TWA: 10000 ppm 8 hours.

**Appropriate engineering controls:** Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Environmental exposure controls:** Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### Individual protection measures

**Hygiene measures:** Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection:** Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side- shields.

#### Skin protection

**Hand protection:** Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Body protection:** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other skin protection:** Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection:** Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Appearance/Color:</b>	White, snow-like solid
<b>Odor:</b>	None
<b>Odor Threshold:</b>	No Data
<b>pH:</b>	No Data
<b>Melting point:</b>	No Data
<b>Boiling point:</b>	No Data
<b>Flash point:</b>	No Data
<b>Evaporation rate:</b>	No Data
<b>Flammability:</b>	No Data
<b>Upper/lower flammability or explosive limits:</b>	No Data
<b>Vapor Pressure:</b>	No Data
<b>Vapor Density:</b>	No Data
<b>Relative Density:</b>	No Data
<b>Solubility (water):</b>	No Data
<b>Solubility (solvents):</b>	No Data

<b>Partition coefficient: n-octanol/water:</b>	No Data
<b>Auto-ignition temperature:</b>	No Data
<b>Decomposition temperature:</b>	No Data
<b>Viscosity:</b>	No Data

## SECTION 10. STABILITY AND REACTIVITY

**Reactivity:** No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability:** Stable when stored in original container in a cool, dry location.

**Possibility of hazardous reactions:** Under normal conditions of storage and use, hazardous reactions will not occur.

**Conditions to avoid:** No data

**Incompatible materials:** No data

**Hazardous decomposition products:** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Information on toxicological effects

#### Acute Toxicity

**LD50, oral (ingestion):** No Data

**LD50, dermal (skin contact):** No Data

**LC50, inhalation:** No Data

**Skin corrosion/irritation:** No Data

**Serious eye damage/Irritation:** No Data

**Respiratory or skin sensitization:** No Data

**Germ cell mutagenicity:** No Data.

**Carcinogenicity:** No Data

**Reproductive Toxicity:** No Data

**Aspiration Hazard:** No Data

**Target Organ Effects:** No Data

## SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity Effects:** No Data

**Persistence and degradability:** No Data

**Bioaccumulative potential:** No Data






**Mobility in Soil:** No Data

**Other adverse effects:** No Data.

## SECTION 13. DISPOSAL CONSIDERATIONS

**Disposal Method:** The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## SECTION 14. TRANSPORT INFORMATION

	DOT	TDG	Mexico	IMDG	IATA
<b>UN number</b>	UN1845	UN1845	UN1845	UN1845	UN1845
<b>UN proper shipping name</b>	CARBON DIOXIDE, SOLID OR DRY ICE	CARBON DIOXIDE, SOLID; OR DRY ICE	CARBON DIOXIDE, SOLID OR DRY ICE	CARBON DIOXIDE, SOLID (DRY ICE)	CARBON DIOXIDE, SOLID
<b>Transport hazard class(es)</b>	9 	9 	9 	9 	9 
<b>Packing group</b>	III	III	-	III	III
<b>Environment</b>	Yes.	Yes.	Yes.	No.	No.
<b>Additional information</b>	<p><b>Limited quantity</b> Yes.</p> <p><b>Packaging instruction</b> <b>Passenger aircraft</b> Quantity limitation: 200 kg</p> <p><b>Cargo aircraft</b> Quantity limitation: 200 kg</p> <p>Note: Per 40CFR Part 173.217, only applicable to transport by aircraft or water (see IATA Section)</p>	<p>Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.43-2.45 (Class 9).</p> <p><b>Explosive Limit and Limited Quantity Index: 5</b></p> <p><b>Passenger Carrying Ship Index: 200</b></p> <p><b>Special provisions: 18</b></p>	-	-	<p>The environmentally hazardous substance mark may appear if required by other transportation regulations.</p> <p><b>Passenger and Cargo Aircraft</b> Quantity limitation: 200 kg</p> <p><b>Cargo Aircraft Only</b> Quantity limitation: 200 kg</p>

## SECTION 15. REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture:**

**FIFRA: WARNING**

**Signal Word: WARNING**

**TSCA:** All components are listed on the TSCA Inventory or are not subject to TSCA requirements


**CERCLA/SARA 313:** Not listed

**CERCLA/SARA 302:** Not listed

## SECTION 16. OTHER INFORMATION

For additional information, please contact the manufacturer noted in Section 1.

- NFPA health hazard : 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
- NFPA fire hazard : 0 - Materials that will not burn.
- NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.
- NFPA specific hazard : SA - This denotes gases which are simple asphyxiants.



**HMIS III Rating**

- Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
- Flammability : 0 Minimal Hazard
- Physical : 0 Minimal Hazard

**Disclaimer:** The information provided in this Safety Data Sheet has been obtained from sources believed to be reliable. Bell Laboratories, Inc. provides no warranties; either expressed or implied, and assumes no responsibility for the accuracy or completeness of the data contained herein. This information is offered for your consideration and investigation. The user is responsible to ensure that they have all current data, including the approved product label, relevant to their particular use.